



4-Star Trailers, Inc.
 10000 NW 10th St
 Oklahoma City, OK 73127-7125
 (405) 324-7827 (800) 848-3095

Quote
0007001

Job Number
#40865

Time Modified 2/4/2022 10:18:12AM

Time Created 2/4/2022 10:18:12AM

SALE

Dealer Number 0000177
 L A TRAILER SALES LLC
 231 WILL LINK LANE
 IRON STATION, NC 28080
 (800) 350-0358

*4-Horse
 H to H 6' DR*

Customized For: Inventory

Trailer Detail

Category Deluxe Center Load
Base Model 4S4C287
Trailer Quantity 1

Description 28' x 7' x 7'6" Tall 4 Horse Center Load GN - Two 7000# Torsion 102" Axles w/ Electric Brakes, 8 Bolt Hubs, Five 10 Ply Radial Trailer Tires, 16" Aluminum Wheels, 2 5/16" Adjustable Coupler, Single Drop Leg, Removable Jack Handle, Tapered Gooseneck w/ Windows, Polished Cast Corner Caps, Pre-Painted White Exterior on Smooth Aluminum, Large Walk thru Door w/ Window SS, 4' Front Dressing Room, Carpet on GN Floor, Drop & DR Floor, Dressing Room Door w/ Window, Four 24" x 36" Windows w/ Bars Each Side in Horse Compartment, 60" Easy Lift Side Ramp Curb Side w/ Dutch Door w/ Window w/Single Pipe Hardware, Full Width Easy Lift Rear Ramp w/ Dutch Doors and Windows, Smooth Aluminum Floor, Floor Mats Full Length in Horse Compartment, Insulate & Double Walled in Horse Compartment, Rubber Lined Walls in Horse Compartment, Rubber Wheel Wells, Two Quiet Ride Dividers w/ Withers And w/ Swinging Head Shield , Split Gate at Drop Hinged at Side Wall, Two Way Roof Vent per Horse, 12 Inside Trailer Ties, 8 Outside Trailer Ties, Feed Bag per Horse, Covered Breast & Butt Bar Each Horse, 5 L.E.D. Dome Lights, Permanent Covered Saddle Rack Per Horse, 10 Bridle Hooks, 2 Brush Trays, 1 Blanket Bar, Extra Height Turn Signals, 2 L.E.D. Load Lights, L.E.D. Lighting, D.O.T. Tape, Custom Graphics

Option #	Qty	Category	Description	Unit	Unit Price	Extended
2104	24.00	FOOTAGE	Add per 1" to horse trailer dressing room length	EACH	90.03	2,160.72
2400	30.00	HEIGHT	Add 6" to Height of Trailer	EACH	60.01	1,800.30
2474	1.00	JACK	12,000# Hydraulic Single Landing Leg Jack - Include Battery & Box Wired Up	EACH	2,820.47	2,820.47
1299	1.00	AXLE	Block Axle 3", fender height automatically adjusted	EACH	182.64	182.64
3202	1.00	TIRE	(5) 235/85R16 14 Ply on Steel Wheel	EACH	1,748.13	1,748.13
2234	1.00	GOOSENECK	Gooseneck 96" neck w/ Reinforcement	EACH	540.10	540.10

Continued

[Handwritten signature]



4-Star Trailers, Inc.
 10000 NW 10th St
 Oklahoma City, OK 73127-7125
 (405) 324-7827 (800) 848-3095

Quote
0007001

Job Number

Time Modified 2/4/2022 10:18:12AM

Time Created 2/4/2022 10:18:12AM

Dealer Number 0000177
 L A TRAILER SALES LLC
 231 WILL LINK LANE
 IRON STATION, NC 28080
 (800) 350-0358

Customized For: Inventory

3015	1.00	SKIN	Stainless steel on gooseneck nose	EACH	748.82	748.82
3500	2.00	WINDOW	15 in. x 18 in. window - 1/2 slider	EACH	341.80	683.60
3502	1.00	WINDOW	Delete 15 in. x 18 in. window from standard door	EACH	68.40-	68.40-
3508	1.00	WINDOW	15 in. x 34 in. window - 1/2 slider	EACH	341.80	341.80
3508	1.00-	WINDOW	15 in. x 34 in. window - 1/2 slider	EACH	341.80	341.80-
3528	8.00-	WINDOW	24 in. x 36 in. window - 1/2 slider	EACH	551.84	4,414.72-
3530	8.00	WINDOW	24 in. x 48 in. window - 1/2 slider	EACH	622.28	4,978.24
2903	456.00	ROOF	Line and insulate roof	EACH	7.81	3,561.36
1850	1.00	DOOR - DF	Drop down door w/ window ILO standard window	EACH	692.72	692.72
1859	1.00	DOOR - DF	Access door	EACH	408.34	408.34
1400	11.00	BAR	Add bars to window	EACH	87.40	961.40
1402	1.00	BAR	Drop down window bars for drop down feed doors	EACH	229.61	229.61
1712	2.00	DIVIDER - S	Full divider-top only	EACH	408.34	816.68
1724	2.00	DIVIDER - S	Spread air flow in divider, ILO standard	EACH	120.02	240.04
1750	2.00	DIVIDER - S	Additional setting for head to head divider	EACH	463.12	926.24
1760	2.00	DIVIDER - S	Removable Head Shield w/ Post, Quiet Ride	EACH	701.85	1,403.70
1761	2.00-	DIVIDER - S	Removable Head Shield Mounted to Divider, Quiet Ride	EACH	427.90	855.80-
1764	2.00	DIVIDER - S	Removable Baby Panel, Quiet Ride	EACH	699.24	1,398.48
2500	1.00	LATCH	Add latch to any door w/ butterfly	EACH	152.63	152.63
2530	2.00	LATCH	Add Single Pipe Hardware to Door ILO Pressure Latch	EACH	216.55	433.10
1462	1.00	BATTERY	Aluminum battery box only - for single battery	EACH	297.45	297.45
2000	4.00	ELECTRIC	12 Volt fan installed	EACH	224.39	897.56
2559	1.00-	LIGHT	L.E.D. loading light	EACH	108.29	108.29-

Continued



4-Star Trailers, Inc.
 10000 NW 10th St
 Oklahoma City, OK 73127-7125
 (405) 324-7827 (800) 848-3095

Quote
0007001

Job Number

Time Modified 2/4/2022 10:18:12AM

Time Created 2/4/2022 10:18:12AM

Dealer Number 0000177
 L A TRAILER SALES LLC
 231 WILL LINK LANE
 IRON STATION, NC 28080
 (800) 350-0358

Customized For: Inventory

2572	7.00	LIGHT	L.E.D. additional marker light	EACH	39.14	273.98
2591	4.00	LIGHT	11" L.E.D. Awning Light	EACH	69.15	276.60
2803	3.00	RAMP - RE	Side or rear ramp over 52 in. tall	EACH	387.46	1,162.38
2821	1.00	RAMP	Easy Lift Ramp Upcharge	EACH	388.77	388.77
2840	1.00	RAMP - SIC	Spring Loaded Side Ramp w/ 1 Dutch Door Above (Up to 5' Wide)	EACH	2,509.98	2,509.98
3110	1.00	TACK	Clothes rod 5' only	EACH	117.41	117.41
2922	168.00	RUBBER	WERM Sealed Rubber Floor ILO Std. Mats	EACH	20.26	3,403.68
2932	6.00	RUBBER	ILO dressing room astro-turf. Gooseneck floor, drop & floor	EACH	41.81	250.86
2934	2.00	RUBBER	Rubber (36" tall) both sides of removable or permanent full to floor divider	EACH	350.84	701.68
1610	1.00	CARPET	Carpet Bulkhead Wall - Between Post	EACH	445.96	445.96
2950	4.00-	SADDLE	Saddle racks	EACH	146.12	584.48-
2983	4.00	SADDLE	Removable saddle racks w/slip on holder	EACH	186.56	746.24

Base Price \$71,909.60
 Options Price \$32,328.18
 Total Gross Price \$104,237.78
 Discount \$0.00
 Total \$104,237.78

Disclaimer: ALL PRODUCTS AND PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE. CALL IF YOU HAVE QUESTIONS.

sur charge 5737.00
 \$ 109,974.00



4-Star Trailers, Inc.
BASE MODEL: 4S4C287

**HEAD TO HEAD
HORSE TRAILER**

Serial No:

Q-0007001

Model:


HTXG4H308070

Customer:

L.A. TRAILERS / INV.

Jig:

Date: 2/4/22



ALL MEASUREMENTS ARE APPROXIMATE

Width: **7'0"** Length: **30'0"** Height: **8'0"**

1	Coupler Assy: 2 5/16" ADJUSTABLE	
2	Drop Leg: 12,000# HYDRAULIC SINGLE LEG W/BATTERY WIRED UP	
3	Subframe Assy: BLOCK AXLES 3" & ADJUST FENDERS Overhang:	
4	Axles: 2-102" Capacity: 7,000 # Type: TORSION Brakes: ELECTRIC Hub: 8-BOLT Mtg. Brkt: 80"	
5	Tires: 235/85R 16, 14-PLY (G614) Spare: YES	
6	Wheels: 16 X 6 ALUMINUM	
7	GN Floor Assy: .090 SMOOTH "96" GOOSENECK W/REINFORCEMENT"	
8	Floor Assy: SMOOTH RIBBED ALUMINUM	
9	GN Side Assy: PP WHITE TAPER 12" EACH SIDE W/WINDOWS W/BARS	C.S.
10	Drop Ht: 50 7/8"	S.S.
11	Side Assy: CS: PP WHITE @ TOP W/(4) 24" X 48" WINDOWS W/BARS - SEE LINE 50	C.S.
12	SS: PP WHITE @ TOP W/(4) 24" X 48" WINDOWS W/BARS - SEE LINE 50	S.S.
13	Nose: STAINLESS STEEL W/POLISHED CORNER CAPS	
14	Roof: INSULATE & LINE FULL LENGTH OF TRAILER (GN, D/R & H/C) Top Rail Lgth=	
15	60" Side Ramp: PP WHITE 60" TALL X 57 1/2" WIDE EASY LIFT RAMP @ CS - SEE LINE 34, 37, 38 & 53	
16	D/R Door: PP WHITE "NO WINDOW" STREETSIDE @ DROP	
17	W/T Door: PP WHITE WALK-THRU DOOR W/DROP DOWN W/WINDOW & DROP DOWN WINDOW BARS @ SS,	
18	WALK-THRU DOOR W/DRESSING ROOM DOOR LATCH & BUTTERFLY LATCH - SEE LINE 53	
19	Rear Doors: PP WHITE 60" TALL EASY LIFT RAMP W/DUTCH DOORS W/WINDOWS ABOVE - SEE LINE 53	
20	Dividers (2): QUIET RIDE W/HEAD SHIELDS ON SEPARATE POSTS - SEE LINE 39, 40 & 41	
21		
22	Domelights: FIVE (5)	
23	Lights & Wiring: STD, PAIR OF EXTRA HEIGHT TURN SIGNALS - SEE LINE 42, 43 & 44	
24	D.O.T. Tape: YES Custom Graphics: YES - SEE LINE 51	
25	X Bulkhead Wall: PERMANENT STRAIGHT 72" B.O.D.	X Two-Way Roof Vents (4):
26	X Feed Bags (4):	X Floor Mats: DRESSING ROOM FLOOR ONLY - SEE LINE 47
27	X Inside Ties, (12): (12)	X Rubber Bulkhead Wall:
28	X Outside Ties (8): (8): (4) EACH SIDE	X Rubber Side Walls:
29	X Butt Bar (4): QUIET RIDE	X Rubber Wheel Wells:
30	X Breast Bar (4): QUIET RIDE - SEE LINE 45	X Carpet Gnf & Drop: & BULKHEAD WALL "BETWEEN POSTS"
31	X Saddle Racks: (4) - SEE LINE 46	X Bridle Hooks (10): BULKHEAD WALL
32	X Blanket Bar (1): BULKHEAD WALL	X Brush Trays (2): @ DROP TOWARD SS
33	OPTIONS:	
34	PP WHITE 60" TALL X 47" WIDE EASY LIFT RAMP W/DUTCH DOOR W/WINDOW @ CS TO START 20" B.O.D. - SEE LINE 38 & 53	
35	SEE PAGE 2	

VIN:

BY:

DATE:

CHKD:



4-Star Trailers, Inc.

HEAD TO HEAD
HORSE TRAILER

Serial No: Q-0007001

Model: HTXG4H308070

36	OPTIONS CONTINUED:
37	CS SIDE RAMP W/(2) DUTCH DOORS W/WINDOWS - SEE LINE 38
38	ALL CS DUTCH DOORS W/SINGLE PIPE HARDWARE
39	BOTH DIVIDERS FULL @ TOP W/SPREAD AIR FLOW (BARS) IN DIVIDER & HEAD SHIELD, BOTH DIVIDERS W/QUIET RIDE REMOVABLE BABY
40	PANELS W/RUBBER BOTH SIDES
41	(2) ADDITIONAL SETTINGS FOR BOX STALLS: (1) APPROX. 161" B.O.D. & (1) APPROX. 246 3/4" B.O.D.
42	LIGHTS & WIRING: (5) LIGHTS EACH TOP RAIL, 3-LIGHT CLUSTER @ NOSE, (4) 11" L.E.D. AWINING LIGHTS: (1) @ EACH CS RAMP, (1) @ SS
43	D/R DOOR & (1) @ SS W/T DOOR. (1) L.E.D. LOAD LIGHT @ REAR
44	(4) 12-VOLT ELECTRIC FANS: (1) CS & (1) SS @ BULKHEAD, (1) CS & (1) SS @ REAR OF TRAILER
45	QUIET RIDE BREAST BAR SETTINGS INSTALLED ON THE HEAD SHIELDS (TO MAKE 84" STALLS)
46	(4) POLO STYLE SADDLE RACKS W/SLIP-ON HOLDERS ON SS D/R DOOR
47	W.E.R.M. SEALED RUBBER FLOORING (BLACK) IN HORSE COMPARTMENT
48	(1) 5 FT. CLOTHES ROD @ SS GOOSENECK, ROD TO START @ DROP & EXTEND INTO GOOSENECK
49	SINGLE ALUMINUM BATTERY BOX @ SS DROP UNDER GOOSENECK
50	HEAVY DUTY WINDOW BARS @ 24" X 48" WINDOWS CS & SS. HUCK BARS AS CLOSE TO WINDOWS AS POSSIBLE
51	GRAPHICS: SILVER METALLIC / CHARCOAL METALLIC / BLACK METALLIC - STRAIGHT LINES THROUGH WINDOWS W/TAPE ON REAR RAMP
52	
53	*****USE STAINLESS STEEL SEAL PLATES @ REAR RAMP, DUTCH DOORS, SIDE RAMPS, SIDE DUTCH DOORS & SS W/T DOOR - DO NOT
54	USE KEYED SEAL PLATES*****
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	