


		Qty.	Option #	
AXLE	7200# TRI AXLE w/ (6) STD. 10-PLY TIRES & WHEELS ilo STD.	1	000620	4,517.00
BARS	BLANKET BAR (each)	7	000910	665.00
BARS	MAKE BLANKET BAR SWING (w/ up to 4 bars) (spring loaded)	1	000970	103.00
BARS	DROP DOWN WINDOW BARS	6	001000	2,274.00
CARPET	CARPET ON ALL WALLS IN REAR STORAGE FOR REVERSE LOAD TRAILER (UP TO 24" RT)	1	001736	1,778.00
CARPET	CARPET ON BULKHEAD WALL	1	001760	432.00
CHAINS	BUTT CHAIN / BREAST CHAIN ILO STD. BUTT BAR/ BREST BAR	1	001777	128.00
COUPLER	2 5/16" ATWOOD BUMBER PULL COUPLER w/25,000 LB. CAPACITY ilo STD. (ATWOOD FLAT	1	001917	475.00
DIVIDER	FLOW-THRU HEAD SHIELD w/ BAR OPENINGS ilo STD.	5	002180	935.00
DIVIDER	REMOVABLE LOWER HALF DIVIDER (baby panel)	1	002220	532.00
DIVIDER	STD. DIVIDER	2	002250	1,754.00
DIVIDER	TELESCOPING DIVIDER ilo STD.	1	002260	486.00
DIVIDER	SPRING-BACK DIVIDER	5	002340	240.00
DOORS	45/55 REAR DOORS (STD.) (N/C)	1	002405	0.00
DOORS	DROP DOWN DOOR w/ WINDOW ilo STD. WINDOW (rear door or walk-thru door only!!)	2	002520	810.00
DOORS	DROP DOWN DOOR w/ WINDOW ilo STD. WINDOW (side walls only!!)	5	002535	2,270.00
DOORS	MANGER ACCESS DOOR	3	002570	1,149.00
DOORS	DROP DOWN FEED DOOR	5	002530	4,040.00
DOORS	WALK-THRU DOOR AT FIRST HORSE (std. on slant loads 3-horse & up)	1	002670	1,121.00
DOORS	BUTTERFLY LATCH AND SPRINGLOADED DOUBLE PIN LATCH ON OVERLAPPING DOORS	1	002698	404.00
DOORS	MAKE STD. DOOR WIDER THAN 36" UP TO 48" (Must add reinforcement angle)	1	002560	1,130.00
FLOOR	INSTALL STEEL REINFORCEMENT ANGLE FOR STRUCTURAL INTEGRITY	4	002970	3,004.00
FOOTAGE	ADD/DELETE PER FOOT, HORSE TRAILER (horse compartment)	8	003010	7,544.00
HARDWARE	ADD BUTTERFLY LATCH OR DRESSING ROOM LATCH TO ANY DOOR	2	003610	190.00
HAYRACK	8' HAYRACK AND LADDER (specify ladder location)	1	003780	1,811.00
HAYRACK	ADD ENCLOSED POP UP LID & TREAD PLATE LANDING TO HAYRACK	1	003805	2,346.00
HEIGHT	ADD EXTRA 6" TO HEIGHT (per foot of trailer)	29	003910	1,392.00
HITCH	EXTEND BUMPER PULL TONGUE 6" (STD. IS 48" ON FLAT NOSE & 68" ON WEDGE NOSE)	1	004010	418.00
HOOKS	BRIDLE HOOKS (each)	40	004110	600.00
LIGHTS	"LED" DOME LIGHT	10	004480	740.00
LIGHTS	"LED" EXTRA CLEARANCE LIGHT/RUNNING LIGHT (each)	6	004450	258.00
LIGHTS	ROUND LED RUNNING LIGHTS ILO STANDARD "MUST SPECIFY ON ORDER" (N/C)	29	004589	0.00
LIGHTS	"LED" LOADING LIGHT (each) (Specify shape Long or Square)	7	004552	1,946.00
LIGHTS	7 LIGHTS ON EA. TOP RAIL (ADD 4 EXTRA CLEARANCE/RUNNING LIGHTS TO BOTH SIDE	1	004576	308.00
LOCK	INSTALL "DIGITAL" KEYLESS ENTRY-COMBINATION DEAD BOLT LOCK ON DRESSING R	2	004635	1,696.00
MANGER	ONE PER HORSE w/DOOR @ EVERY 2 HORSES (slant load)	5	004670	3,810.00
RAMP	ADDITIONAL CHARGE TO MAKE RAMP LONGER THAN 44" (up to 52")	1	005413	483.00
RAMP	SPRING LOADED SIDE RAMP BEHIND DOOR	1	005475	1,585.00
ROD	CLOTHES ROD UP TO 5'	1	005510	99.00
RUBBER	RUBBER 36" TALL BOTH SIDES OF REM. PANEL OR DIVIDER FULL TO FLOOR	1	005750	329.00
RUBBER	FLOOR MATS ON DRESSING ROOM FLOOR ilo CARPET(per running foot)	6	005720	240.00
SADDLE	SADDLE RACK (each)	2	005850	274.00
SHELF	18" DEEP ON 4' SHORT WALL w/ 3" LIP (each shelf)	2.5	005920	485.00
STEP	"FLOW THRU" FOLD UP ALUMINUM STEP (8' wide trailers only) NOT REMOVABLE (Size 9"x3	2	006265	514.00
STEP	"FLOW THRU" FULL WIDTH FOLD UP ALUMINUM STEP @ REAR or DBL. DOORS ON SIDE	1	006270	641.00
TIES	TIE RINGS, INSIDE (each)	4	006640	60.00
TIES	BOLT ON TIE RINGS, OUTSIDE(std.)(each)	4	006650	68.00
TIRES	(5) 235/85R16 14-PLY RADIALS (G-614) ilo STD. 10-PLY RADIALS	1.4	006880	2,826.60
TRAY	BRUSH TRAY (each)	5	007010	495.00
VENT	TWO WAY ROOF VENT (aluminum)	2	007170	304.00
WALL	SEAL REAR TACK WALL TO ROOF	1	007340	218.00
WATER	ADD EXTERIOR FAUCET	1	007420	243.00
WATER TANK	PLASTIC 40 GAL. TRIANGULAR TANK FOR V CORNER	1	007508	500.00
WHEEL	15" OR 16" ALUMINUM MAG WHEEL ILO STEEL WHEEL & SIMULATOR (EA.) (Not Alcoa!!)	7	007585	2,198.00
WIDTH	CHANGE 7' WIDE TRAILER TO 8' WIDE UP TO 30' (box length)	1	007920	2,338.00
AXLE	ADD Dexter, ASI or STI AIR RIDE ASSIST TO TANDUM TORSION AXLE 8K OR LESS(Includes	1.5	000710	13,192.50
SHELF	CLOTHES ROD w/ HAT SHELF 18" X 48"	2	005940	1,094.00



MODEL:	6-HORSE, B.P.	WIDTH:	8'-0"	LENGTH:	26'-0"	HEIGHT:	7'-6"
1	2 5/16" B.D. Coupler: 25k coupler (extend 6" = 74")			Jack: STD.			
2	Axles Qty: 3-102"		Type: DEXTER AIR RIDE	Capacity: TRI-7200#	Hub: 8-BOLT		
3	Brakes: ELECTRIC			Mnfg. Brkt.: 80"	Overhang:		
4	Tires: 235/85R16G 14-PLY			Wheels: (7) SILVER MAG- ALUM. WHEELS	Spare: YES		
5	Nose: WEDGE NOSE						
6	Sides: SLATTED W/ SMOOTH ALUM. AT TOP			Floor: SMOOTH ALUM. PLATE W/ STEEL REINF. B.S. (4)			
STANDARD EQUIPMENT							
7	BULKHEAD WALL	X	PERMANENT	FLOOR MATS HORSE COMPT.	X	& D/R FLOOR	
8	REAR STORAGE	X	PERMANENT (SEAL TO ROOF)	RUBBER RUMP AND HEAD WALL	X		
9	DOUBLE REAR DOORS	X	45/55 W/ PINS & BUTTERFLY	RUBBER BULKHEAD WALL (BOTH)	X		
10	DRESSING ROOM DOOR	X	36" OPENING, C.S. W/ WINDOW	RUBBER ON WHEEL WELLS	X		
11	FEED DOORS (DROP DOWN)	X		CARPET	X	B/H WALL IN D/R, ALL WALLS IN R/T	
12	FRONT WALK-THRU DOOR	2	1 C.S. & 1 S.S. W/ DROP DOWN ON EA.	COVERED SADDLE RACKS, 1 PER	6	PERMANENT 3 EA. TREE IN R/T	
13	FEED BAGS	1	ONE	BRIDLE HOOKS	50	30 R/T & 20 D/R	
14	STD. HALF DIVIDERS	5	BARS, SPRING, TELESCOPING, PANEL	PAIR OF BRUSH TRAYS	7	2 D/R, 2 S.S. R/T, 3 MANGER	
15	INSIDE TIE RINGS, 2 PER	12	TWELVE	BLANKET BAR	8	4 SWING R/T DR, 2 ABOVE EA. S/R'S TREE	
16	OUTSIDE TIE RINGS, 2 PER	12	6 EACH SIDE	DOME LIGHTS	15	FIFTEEN	
17	TWO-WAY ROOF VENTS	X	CENTER LINE OF ROOF	PADDED REAR HEADER	X		
18	BUTT BAR (LAST HORSE)	X	"CHAIN"	D.O.T. TAPE	X		
19	BREAST BAR (FIRST HORSE)	X		TAPE COLORS	X	??	
20	OPTIONS: 1" ROUND RUNNING LIGHTS (ALL RUNNING LIGHTS)						
21	(7) OUTSIDE LONG LED LOADING LIGHTS, 1 @ REAR, 3 C.S., 3 S.S.						
22	SEVEN LIGHTS EACH TOP RAIL						
23							
24	(6) DROP DOWN WINDOW BARS FOR FEED DOOR @ HEAD WALL						
25	(5) DROP DOWN FEED DOORS ON RUMP WALL ILO STD. WINDOWS					(2) DIGITAL LOCKS	
26	FEED MANGER ON 5 STALLS, W/ 5 ACCESS DOORS					CLOTHES ROD, C.S OF WEDGE NOSE	

29							
30	8 FT. HAYRACK W/ LID, PLATFORM & LADDER ON C.S. REAR DOOR			40 GAL PLASTIC TANK W/ OUTSIDE FAUCET			
31	SPRING LOADED SIDE RAMP BEHIND FULL HEIGHT DOORS (52" TALL & 1 BUTTERFLY LATCH)						
32	(2) FLOW-THRU FOLD OUT STEPS @ D/R & ESCAPE DOOR						
33	(1) FLOW-THRU FULL WIDTH FOLD OUT STEP @ R/T DOOR						
Coupler:		Subframe:				Top Rail Length:	
Floor:				Door Notch Out:			